

To: RDA Steering Committee
From: Linda Barnhart, RSC Secretary
Subject: Implementing the Collections Model in RDA

The text below reflects the decisions made by the RDA Steering Committee during its October 2021 meeting.

Most recommendations in [RSC/TechnicalWG/2021/2](#) were passed by unanimous consent without discussion, but a handful of issues were raised for discussion. In those cases, the decisions recorded below will not mirror the original written proposal and are indicated as based on RSC discussion.

Follow-up actions for some recommendations will be developed for future RSC discussion; see the minutes for details.

Although the proposal was presented in four parts, the decisions are combined here in one document.

Updates have been made to RDA Reference which will propagate to the RDA Registry and the RDA Toolkit. Instruction text has been added as well to RDA Toolkit. Both will appear in the next Toolkit release.

Table of Contents

New Elements (67)

[List of New Elements](#)

Appendix A: [Detailed Content of New Elements](#)

Deprecated (58) and Soft-Deprecated Elements (20)

[List of Deprecated and Soft-Deprecated Elements](#)

Appendix B: [Detailed Content of Deprecated and Soft-Deprecated Elements](#)

Changed Element Labels (31)

[List of Changed Element Labels](#)

Appendix C: [Detailed Content of Changed Element Labels](#)

Changed Element Definitions (57)

[List of Changed Element Definitions](#)

Appendix D: [Detailed Content of Changed Element Definitions](#)

Changed Element Hierarchies (40)

[List of Changed Element Hierarchies](#)

Appendix E: [Detailed Content of Changed Element Hierarchies](#)

Elements with Added Shortcut Text (6)

[List of Elements with Added Shortcut Text](#)

Appendix F: [Detailed Content of Elements with Added Shortcut Text](#)

New Vocabulary Encoding Schemes (2) and New and Redefined Terms (8)

[List of New Vocabularies and Terms](#)

Appendix G: [Detailed Content of New Vocabulary Encoding Schemes and New and Redefined Terms](#)

====

List of New Elements

For details on these new elements, see [Appendix A](#).

Agent: agent described with metadata by

Agent: collection registrar agent of (range = work)

Agent: collector agent of (range = work)

Collective Agent: collection registrar collective agent of (range = work)

Collective Agent: collective agent described with metadata by

Collective Agent: collector collective agent of (range = work)

Corporate Body: collection registrar corporate body of (range = work)

Corporate Body: collector corporate body of (range = work)

Corporate Body: corporate body described with metadata by

Expression: concordance work

Expression: expression described with metadata by

Family: collection registrar family of (range = work)

Family: collector family of (range = work)

Family: family described with metadata by

Item: holding of

Item: item described with metadata by

Item: location of item

Item: on manifestation with

Manifestation: catalogue

Manifestation: finding aid
Manifestation: hierarchic finding aid
Manifestation: holding
Manifestation: index
Manifestation: location of collection
Manifestation: manifestation described with metadata by
Manifestation: subcollection
Manifestation: subcollection of

Nomen: nomen described with metadata by

Person: collection registrar person of (range = work)
Person: collector person of (range = work)
Person: person described with metadata by

Place: location of collection of
Place: location of item of
Place: place described with metadata by

RDA Entity: RDA entity described with metadata by

Timespan: timespan described with metadata by

Work: catalogue of
Work: collection accrual method
Work: collection accrual policy
Work: collection registrar agent
Work: collection registrar collective agent
Work: collection registrar corporate body
Work: collection registrar family
Work: collection registrar person
Work: collector agent
Work: collector collective agent
Work: collector corporate body
Work: collector family
Work: collector person
Work: concordance work for
Work: finding aid of
Work: hierarchic finding aid of
Work: index for
Work: metadata description of agent
Work: metadata description of collective agent
Work: metadata description of corporate body
Work: metadata description of expression
Work: metadata description of family

Work: metadata description of item
Work: metadata description of manifestation
Work: metadata description of nomen
Work: metadata description of person
Work: metadata description of place
Work: metadata description of RDA entity
Work: metadata description of timespan
Work: metadata description of work
Work: work described with metadata by

=====

List of Deprecated and Soft-Deprecated Elements

For details on these deprecated and soft-deprecated elements, see [Appendix B](#).

Deprecated Elements

These RDA elements have been deprecated and will no longer appear in RDA Toolkit. The registered IRIs for the deprecated elements will remain in the RDA Registry, but all labels, definitions, and scope notes will have '(Deprecated)' appended to them.

Agent: collection registrar agent of (range = item)
Agent: collector agent of (range = item)
Agent: curator agent of

Collective Agent: collection registrar collective agent of (range = item)
Collective Agent: collector collective agent of (range = item)
Collective Agent: curator collective agent of

Corporate Body: collection registrar corporate body of (range = item)
Corporate Body: collector corporate body of (range = item)
Corporate Body: curator corporate body of

Expression: abstract of expression
Expression: abstracted as expression
Expression: catalogue expression
Expression: catalogue of expression
Expression: finding aid expression
Expression: finding aid for expression
Expression: index expression
Expression: index to expression
Expression: indexed in expression

Expression: indexing for expression
Expression: summarized as expression
Expression: summary of expression

Family: collection registrar family of (range = item)
Family: collector family of (range = item)
Family: curator family of

Item: collection registrar agent
Item: collection registrar collective agent
Item: collection registrar corporate body
Item: collection registrar family
Item: collection registrar person
Item: collector agent
Item: collector collective agent
Item: collector corporate body
Item: collector family
Item: collector person
Item: curator agent
Item: curator collective agent
Item: curator corporate body
Item: curator family
Item: curator person
Item: item critiqued in
Item: item evaluated in
Item: item reviewed in

Person: collection registrar person of (range = item)
Person: collector person of (range = item)
Person curator person of

Work: catalogue of work
Work: catalogue work
Work: concordance to work
Work: concordance work
Work: critique of item
Work: evaluation of item
Work: finding aid for work
Work: finding aid work
Work: index to work
Work: index work
Work: indexed in work
Work: indexing for work
Work: review of item

Soft-Deprecated Elements

Soft-deprecated elements remain in the official Toolkit but are candidates for future deprecation. These are legacy elements that are retained for continuity in applications. Toolkit instructions recommend using the replacement element or recording method.

Expression: expression critiqued by
Expression: expression reviewed by

Item: filmed with item
Item: on disc with item

Manifestation: filmed with manifestation
Manifestation: manifestation critiqued by
Manifestation: manifestation reviewed by
Manifestation: on disc with manifestation

RDA Entity: RDA entity critiqued by
RDA Entity: RDA entity reviewed by

Work: critique of expression
Work: critique of manifestation
Work: critique of RDA entity
Work: critique of work
Work: review of expression
Work: review of manifestation
Work: review of RDA entity
Work: review of work
Work: work critiqued by
Work: work reviewed by

=====

List of Changed Element Labels

For details on these changed element labels, see [Appendix C](#).

Agent: agent described in

Collective Agent: collective agent described in

Corporate Body: corporate body described in

Expression: expression critiqued in*
Expression: expression described in
Expression: expression evaluated in
Expression: expression reviewed in*

Family: family described in

Item: accompanied by item
Item: item described in

Manifestation: issued with
Manifestation: manifestation critiqued in*
Manifestation: manifestation described in
Manifestation: manifestation evaluated in
Manifestation: manifestation reviewed in*

Nomen: nomen described in

Person: person described in

Place: place described in

RDA Entity: RDA entity critiqued in*
RDA Entity: RDA entity described in
RDA Entity: RDA entity evaluated in
RDA Entity: RDA entity reviewed in*

Timespan: timespan described in

Work: abstract of work
Work: abstracted as work
Work: summarized as work
Work: summary of work
Work: work critiqued in*
Work: work described in
Work: work evaluated in
Work: work reviewed in*

* These elements are also soft-deprecated.

====

List of Changed Element Definitions

For details on these changed element definitions, see [Appendix D](#).

Agent: agent described by

Agent: compiler agent of

Collective Agent: collective agent described by

Collective Agent: compiler collective agent of

Corporate Body: compiler corporate body of

Corporate Body: corporate body described by

Expression: concordance expression

Expression: concordance to expression

Expression: expression critiqued by

Expression: expression described by

Expression: expression evaluated by

Expression: expression reviewed by

Family: compiler family of

Family: family described by

Item: bound with

Item: held with

Item: item described by

Manifestation: accompanied by manifestation

Manifestation: manifestation critiqued by

Manifestation: manifestation described by

Manifestation: manifestation evaluated by

Manifestation: manifestation reviewed by

Manifestation: on carrier unit with

Nomen: nomen described by

Person: compiler person of

Person: person described by

Place: place described by

RDA Entity: RDA entity critiqued by

RDA Entity: RDA entity described by

RDA Entity: RDA entity evaluated by

RDA Entity: RDA entity reviewed by

Timespan: timespan described by

Work: abstract
Work: abstract of
Work: compiler agent
Work: compiler collective agent
Work: compiler corporate body
Work: compiler family
Work: compiler person
Work: critique of expression
Work: critique of manifestation
Work: critique of RDA entity
Work: critique of work
Work: evaluation of expression
Work: evaluation of manifestation
Work: evaluation of RDA entity
Work: evaluation of work
Work: review of expression
Work: review of manifestation
Work: review of RDA entity
Work: review of work
Work: summary
Work: summary of
Work: work critiqued by
Work: work described by
Work: work evaluated by
Work: work reviewed by

=====

List of Changed Element Hierarchies

For details on these changed element hierarchies, see [Appendix E](#).

Agent: compiler agent of

Collective Agent: compiler collective agent of

Corporate Body: compiler corporate body of

Expression: concordance expression
Expression: concordance to expression
Expression: expression critiqued by

Expression: expression evaluated by
Expression: expression reviewed by

Family: compiler family of

Manifestation: manifestation critiqued by
Manifestation: manifestation evaluated by
Manifestation: manifestation reviewed by

Person: compiler person of

RDA Entity: RDA entity critiqued by
RDA Entity: RDA entity evaluated by
RDA Entity: RDA entity reviewed by

Work: abstract
Work: abstract of
Work: compiler agent
Work: compiler collective agent
Work: compiler corporate body
Work: compiler family
Work: compiler person
Work: critique of expression
Work: critique of manifestation
Work: critique of RDA entity
Work: critique of work
Work: evaluation of expression
Work: evaluation of manifestation
Work: evaluation of RDA entity
Work: evaluation of work
Work: review of expression
Work: review of manifestation
Work: review of RDA entity
Work: review of work
Work: summary
Work: summary of
Work: work critiqued by
Work: work evaluated by
Work: work reviewed by

=====

List of Elements with Added Shortcut Text

For details on these changed element definitions, shortcuts, and hierarchies, see [Appendix F](#).

Expression: concordance expression
Expression: concordance to expression

Item: bound with
Item: held with

Manifestation: accompanied by manifestation
Manifestation: on carrier unit with

====

List of New Vocabularies and Terms

For details on these new vocabularies and terms, see [Appendix G](#).

New Vocabulary Encoding Schemes

RDA Collection Accrual Method
RDA Collection Accrual Policy

New or Redefined Terms in RDA Terms

collection expression
collection manifestation
collection item
collection work
indexing finding aid
metadata description set
metadata statement
unitary finding aid

Appendix A: Detailed Content of New Elements

Agent: agent described with metadata by (rdaa:P51108)

Definition and Scope

A work that is a metadata work for an agent.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51108>

Domain

Agent

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Agent: [agent described by](#).

For the inverse of this element, see Work: [metadata description of agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Agent: [collection registrar agent of \(rdaa:P51118\)](#)

Definition and Scope

A work that involves a responsibility of an agent for creating a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50046>

Domain

Agent

Range

Work

Alternate labels

cataloguer agent of

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Agent: [compiler agent of](#).

For the inverse of this element, see Work: [collection registrar agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 7 and 11]

* * *

[Agent: collector agent of \(rdaa:P51113\)](#)

Definition and Scope

A work that involves a responsibility of an agent for collecting by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50045>

Domain

Agent

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Agent: [creator agent of work of](#).

For the inverse of this element, see Work: [collector agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 4]

[Collective Agent: collection registrar collective agent of \(rdaa:P51119\)](#)

Definition and Scope

A work that involves a responsibility of a collective agent for creating a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50791>

Domain

Collective Agent

Range

Work

Alternate labels

cataloguer collective agent of

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Collective Agent: [compiler collective agent of](#).

For the inverse of this element, see Work: [collection registrar collective agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 7 and 11]

* * *

[Collective Agent: collective agent described with metadata by \(rdaa:P51109\)](#)

Definition and Scope

A work that is a metadata work for a collective agent.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51109>

Domain

Collective Agent

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Collective Agent: [collective agent described by](#).

For the inverse of this element, see Work: [metadata description of collective agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Collective Agent: collector collective agent of \(rdaa:P51114\)](#)

Definition and Scope

A work that involves a responsibility of a collective agent for collecting by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50786>

Domain

Collective Agent

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Collective Agent: [creator collective agent of work of](#).

For the inverse of this element, see Work: [collector collective agent](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 4]

Corporate Body: collection registrar corporate body of (rdaa:P51120)

Definition and Scope

A work that involves a responsibility of a corporate body for creating a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50942>

Domain

Corporate Body

Range

Work

Alternate labels

cataloguer corporate body of

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Corporate Body: [compiler corporate body of](#).

For the inverse of this element, see Work: [collection registrar corporate body](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 7 and 11]

* * *

[Corporate Body: collector corporate body of \(rdaa:P51115\)](#)

Definition and Scope

A work that involves a responsibility of a corporate body for collecting by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50937>

Domain

Corporate Body

Range

Work

Prerecording**Recording**

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Corporate Body: [creator corporate body of work of](#).

For the inverse of this element, see Work: [collector corporate body](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 4]

* * *

Corporate Body: [corporate body described with metadata by \(rdaa:P51110\)](#)

Definition and Scope

A work that is a metadata work for a corporate body.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51110>

Domain

Corporate Body

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Corporate Body: [corporate body described by](#).

For the inverse of this element, see Work: [metadata description of corporate body](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

Expression: concordance work (rdae:P20577)

Definition and Scope.

A work that is a systematic guide of all or selected words that occur in an expression that realizes a textual work.

Element Reference

IRI

<http://rdaregistry.info/Elements/e/P20577>

Domain

Expression

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Expression: [related work of expression](#).

For the inverse of this element, see Work: [concordance work for](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 21 and RSC discussion]

* * *

Expression: [expression described with metadata by \(rdac:P20576\)](#)

Definition and Scope

A work that is a metadata work for an expression.

Element Reference

IRI

<http://rdaregistry.info/Elements/e/P20576>

Domain

Expression

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Expression: [expression described by](#).

For the inverse of this element, see Work: [metadata description of expression](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

Family: [collection registrar family of \(rdaa:P51121\)](#)

Definition and Scope

A work that involves a responsibility of a family for creating a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51093>

Domain

Family

Range

Work

Alternate labels

cataloguer family of

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Family: [compiler family of](#).

For the inverse of this element, see Work: [collection registrar family](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 7 and 11]

* * *

Family: [collector family of \(rdaa:P51116\)](#)

Definition and Scope

A work that involves a responsibility of a family for collecting by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51088>

Domain

Family

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Family: [creator family of work of](#).

For the inverse of this element, see Work: [collector family](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 4]

* * *

Family: [family described with metadata by \(rdaa:P51111\)](#)

Definition and Scope

A work that is a metadata work for a family.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51111>

Domain

Family

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Family: [family described by](#).

For the inverse of this element, see Work: [metadata description of family](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

[Item: holding of \(rdai:P40161\)](#)

Definition and Scope

A manifestation of a collection work that includes the item.

Element Reference

IRI

<http://rdaregistry.info/Elements/i/P40161>

Domain

Item

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation:

Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Item: [related manifestation of item](#).

For the inverse of this element, see Manifestation: [holding](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 9]

* * *

[Item: item described with metadata by \(rdai:P40164\)](#)

Definition and Scope

A work that is a metadata work for an item.

Element Reference

IRI

<http://rdaregistry.info/Elements/i/P40164>

Domain

Item

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Item: [item described by](#).

For the inverse of this element, see Work: [metadata description of item](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Item: location of item \(rdai:P40162\)](#)

Definition and Scope

A place where an item is held, stored, or made available for access.

Element Reference**IRI**

<http://rdaregistry.info/Elements/i/P40162>

Domain

Item

Range

Place

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Item: [holding of](#) for the manifestation of a *collection work* that includes the item
2. Manifestation: [location of collection](#) for the place where a manifestation of a *collection work* is stored

The element does not identify any *collection manifestation*.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

Recording

Record this element as a value of Place: [appellation of place](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related place as a value of Place: [name of Place](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related place as a value of Place: [access point for place](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related place as a value of Place: [identifier for place](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related place as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Item: [related place of item](#).

For the inverse of this element, see Place: [location of item of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 12]

Item: on manifestation with (rdai:P40163)

Definition and Scope

An item that is reproduced on the same manifestation as an item.

Element Reference

IRI

<http://rdaregistry.info/Elements/i/P40163>

Domain

Item

Range

Item

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Item: [reproduced as item](#) for a manifestation that reproduces the item
2. Manifestation: [part of manifestation](#) for a manifestation that includes the component manifestation
3. Manifestation: [part manifestation](#) for a manifestation that is a component of the complete manifestation
4. Manifestation: [reproduction of item of](#) for an item that is used as the basis for the component manifestation

The element does not identify any manifestations that are reproductions of items or the manifestation that includes the component manifestations.

For general guidance on shortcuts, see [Guidance: Introduction to RDA. Data elements. Relationship shortcuts](#).

Recording

Record this element as a value of Item: [appellation of item](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related item as a value of Item: [title of item](#).

For general guidance on unstructured descriptions, see [Guidance: Recording methods. Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related item as a value of Item: [access point for item](#).

For general guidance on structured descriptions, see [Guidance: Recording methods. Recording a structured description](#).

Recording an identifier

Record an identifier for a related item as a value of Item: [identifier for item](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related item as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Item: [related item of item](#).

For the inverse of this element, see Item: [on manifestation with](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 15]

[Manifestation: catalogue \(rdam:P30464\)](#)

Definition and Scope

A work that is a metadata description set for the items that are held by a collection manifestation.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30464>

Domain

Manifestation

Range

Work

Alternate labels

analytic finding aid

finding aid, analytic

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [finding aid](#).

For the inverse of this element, see Work: [catalogue of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 5]

* * *

[Manifestation: finding aid \(rdam:P30463\)](#)

Definition and Scope

A work that is a metadata description set for a collection manifestation.

Element Reference**IRI**

<http://rdaregistry.info/Elements/m/P30463>

Domain

Manifestation

Range

Work

Prerecording**Recording**

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [manifestation described with metadata by](#).

For the inverse of this element, see Work: [finding aid of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 1]

* * *

[Manifestation: hierarchic finding aid \(rdam:P30465\)](#)

Definition and Scope

A work that is a metadata description set for the sub-collections and items that are held by a collection manifestation.

A collection includes an archival collection.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30465>

Domain

Manifestation

Range

Work

Alternate labels

finding aid, hierarchic

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [finding aid](#).

For the inverse of this element, see Work: [hierarchic finding aid of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 9]

* * *

[Manifestation: holding \(rdam:P30460\)](#)

Definition and Scope

An item that is included in the manifestation of a collection work.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30460>

Domain

Manifestation

Range

Item

Prerecording

Recording

Record this element as a value of Item: [appellation of item](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related item as a value of Item: [title of item](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related item as a value of Item: [access point for item](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related item as a value of Item: [identifier for item](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related item as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [related item of manifestation](#).

For the inverse of this element, see Item: [holding of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 8]

* * *

[Manifestation: index \(rdam:P30466\)](#)

Definition and Scope

A work that is systematic guide to the content of a manifestation that embodies a textual work.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30466>

Domain

Manifestation

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [related work of manifestation](#).

For the inverse of this element, see Work: [index for](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 17 and RSC discussion]

Manifestation: location of collection (rdam:P30461)

Definition and Scope

A place where the manifestation of a collection work is stored.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30461>

Domain

Manifestation

Range

Place

Prerecording

Recording

Record this element as a value of Place: [appellation of place](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related place as a value of Place: [name of place](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related place as a value of Place: Manifestation: [access point for place](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related place as a value of Place: [identifier for place](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related place as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [related place of manifestation](#).

For the inverse of this element, see Place: [location of collection of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 10]

* * *

Manifestation: manifestation described with metadata by
(rdam:P30462)

Definition and Scope

A work that is a metadata work for a manifestation.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30462>

Domain

Manifestation

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [manifestation described by](#).

For the inverse of this element, see Work: [metadata description of manifestation](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Manifestation: subcollection (rdam:P30458)

Definition and Scope

A manifestation of a collection work that is a discrete component of a manifestation of another collection work.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30458>

Domain

Manifestation

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [part manifestation](#).

For the inverse of this element, see Manifestation: [subcollection of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 6]

* * *

[Manifestation: subcollection of \(rdam:P30459\)](#)

Definition and Scope

A manifestation of collection work that has a manifestation of another collection work as a discrete component.

Element Reference

IRI

<http://rdaregistry.info/Elements/m/P30459>

Domain

Manifestation

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation:

Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Manifestation: [part of manifestation](#).

For the inverse of this element, see Manifestation: [subcollection](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 7]

[Nomen: nomen described with metadata by \(rdan:P80188\)](#)

Definition and Scope

A work that is a metadata work for a nomen.

Element Reference**IRI**

<http://rdaregistry.info/Elements/n/P80188>

Domain

Nomen

Range

Work

Prerecording**Recording**

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Nomen: [nomen described by](#).

For the inverse of this element, see Work: [metadata description of nomen](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

[Person: collection registrar person of \(rdaa:P51122\)](#)

Definition and Scope

A work that involves a responsibility of a person for creating a metadata work.

Element Reference**IRI**

<http://rdaregistry.info/Elements/a/P50640>

Domain

Person

Range

Work

Alternate labels

cataloguer person of

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Person: [compiler person of](#).

For the inverse of this element, see Work: [collection registrar person](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 7 and 11]

* * *

[Person: collector person of \(rdaa:P51117\)](#)

Definition and Scope

A work that involves a responsibility of a person for collecting by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P50635>

Domain

Person
Range
Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Person: [creator person of work of](#).

For the inverse of this element, see Work: [collector person](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 4]

* * *

[Person: person described with metadata by \(rdaa:P51112\)](#)

Definition and Scope

A work that is a metadata work for a person.

Element Reference

IRI

<http://rdaregistry.info/Elements/a/P51112>

Domain

Person

Range

Work

Prerecording**Recording**

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Person: [person described by](#).

For the inverse of this element, see Work: [metadata description of person](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

Place: location of collection of ([rdap:P70055](#))

Definition and Scope

A manifestation of a collection work that is stored in a place.

Element Reference

IRI

<http://rdaregistry.info/Elements/p/P70055>

Domain

Place

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Place: [related manifestation of place](#).

For the inverse of this element, see Manifestation: [location of collection](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 11]

* * *

Place: location of item of ([rdap:P70056](#))

Definition and Scope

An item that is held, stored, or made available for access in a place.

Element Reference

IRI

<http://rdaregistry.info/Elements/p/P70056>

Domain

Place

Range

Item

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Place: [location of collection of](#) for the manifestation of a *collection work*
2. Manifestation: [holding](#) for the item that is included in a *collection manifestation*

The element does not identify any *collection manifestation*.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

Recording

Record this element as a value of Item: [appellation of item](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related item as a value of Item: [title of item](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related item as a value of Item: [access point for item](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related item as a value of Item: [identifier for item](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related item as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Place: [related item of place](#).

For the inverse of this element, see Item: [location of item](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 13]

* * *

Place: place described with metadata by (rdap:P70057)

Definition and Scope

A work that is a metadata work for a place.

Element Reference

IRI

<http://rdaregistry.info/Elements/p/P70057>

Domain

Place

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Place: [place described by](#).

For the inverse of this element, see Work: [metadata description of place](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

[RDA Entity: RDA entity described with metadata by \(rdax:P00030\)](#)

Definition and Scope

A work that is a metadata work for an RDA entity.

Element Reference

IRI

<http://rdaregistry.info/Elements/x/P00030>

Domain

RDA Entity

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see RDA Entity: [RDA entity described by](#).

For the inverse of this element, see Work: [metadata description of RDA entity](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

Timespan: [timespan described with metadata by \(rdat:P70063\)](#)

Definition and Scope

A work that is a metadata work for a timespan.

Element Reference**IRI**

<http://rdaregistry.info/Elements/t/P70063>

Domain

Timespan

Range

Work

Prerecording**Recording**

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Timespan: [timespan described by](#).

For the inverse of this element, see Work: [metadata description of timespan](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

[Work: catalogue of \(rdaw:P10625\)](#)

Definition and Scope

A manifestation that is a collection manifestation that has a metadata description set for the items that it holds.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10625>

Domain

Work

Range

Manifestation

Alternate labels

analytic finding aid of
finding aid of, analytic

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [finding aid of](#).

For the inverse of this element, see Manifestation: [catalogue](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 2]

* * *

[Work: collection accrual method \(rdaw:P10608\)](#)

Definition and Scope

A method of transfer of custodianship of the items that are added to a manifestation of a collection work.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10608>

Domain

Work

Prerecording

Recording

Recording an unstructured description

OPTION

Record an uncontrolled term or a term that is transcribed from a *source of information*.

OPTION

Record details or other unstructured information.

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

OPTION

Record an appropriate terms from the [RDA Collection Accrual Method vocabulary encoding scheme](#).

- deposit
- donation
- license
- loan
- purchase

For a definition, scope note, and notation of a term, see [RDA Collection Accrual Method](#).

This *vocabulary encoding scheme* has incomplete coverage of scope.

Additional values may be included in the future.

OPTION

Record a term from another suitable *vocabulary encoding scheme*. For general guidance, see Guidance: Introduction to RDA. Data elements. [Data values](#).

OPTION

Record a *vocabulary encoding scheme* that is used as a *source of information* for a term. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

CONDITION

None of the terms in a vocabulary encoding scheme is appropriate or sufficiently specific.

OPTION

Record a suitable uncontrolled term as an unstructured description.

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

OPTION

Record a notation for a term from the RDA *vocabulary encoding scheme*. For a list of notations, see [RDA Collection Accrual Method](#).

OPTION

Record an identifier or notation for a term from another suitable vocabulary encoding scheme. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

OPTION

Record a *vocabulary encoding scheme* that is used as a *source of information* for an identifier. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI**OPTION**

Record an IRI for a term or concept as a *real-world object* selected from the RDA *vocabulary encoding scheme*. For a list of IRIs, see [RDA Collection Accrual Method](#).

OPTION

Record an IRI for a term or concept as a *real-world object* selected from another suitable *vocabulary encoding scheme*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 1 and RSC discussion]

* * *

Work: collection accrual policy (rdaw:P10609)

Definition and Scope

A policy for selecting items that are added to a manifestation of a collection work.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10609>

Domain

Work

Prerecording

Recording

Recording an unstructured description

OPTION

Record an uncontrolled term or a term that is transcribed from a *source of information*.

OPTION

Record details or other unstructured information.

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

OPTION

Record an appropriate terms from the [RDA Collection Accrual Policy](#) *vocabulary encoding scheme*.

- active
- closed
- passive
- selective

For a definition, scope note, and notation of a term, see [RDA Collection Accrual Policy](#).

This *vocabulary encoding scheme* has incomplete coverage of scope.

Additional values may be included in the future.

OPTION

Record a term from another suitable *vocabulary encoding scheme*. For general guidance, see Guidance: Introduction to RDA. Data elements. [Data values](#).

OPTION

Record a *vocabulary encoding scheme* that is used as a *source of information* for a term. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

CONDITION

None of the terms in a vocabulary encoding scheme is appropriate or sufficiently specific.

OPTION

Record a suitable uncontrolled term as an unstructured description.

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

OPTION

Record a notation for a term from the RDA *vocabulary encoding scheme*. For a list of notations, see [RDA Collection Accrual Policy](#).

OPTION

Record an identifier or notation for a term from another suitable vocabulary encoding scheme. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

OPTION

Record a *vocabulary encoding scheme* that is used as a *source of information* for an identifier. For general guidance, see Guidance: Data provenance. [Recording a source of metadata](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI**OPTION**

Record an IRI for a term or concept as a *real-world object* selected from the RDA *vocabulary encoding scheme*. For a list of IRIs, see [RDA Collection Accrual Policy](#).

OPTION

Record an IRI for a term or concept as a *real-world object* selected from another suitable *vocabulary encoding scheme*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 2]

* * *

[Work: collection registrar agent \(rdaw:P10634\)](#)

Definition and Scope

An agent who is responsible for creating an analytic finding aid.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10634>

Domain

Work

Range

Agent

Alternate labels

cataloguer agent

Prerecording

Recording

Record this element as a value of Agent: [appellation of agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related agent as a value of Agent: [name of agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related agent as a value of Agent: [access point for agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related agent as a value of Agent: [identifier for agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Work: [compiler agent](#).

For the inverse of this element, see Agent: [collection registrar agent of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 6 and 10]

* * *

[Work: collection registrar collective agent \(rdaw:P10635\)](#)

Definition and Scope

A collective agent who is responsible for creating an analytic finding aid.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10635>

Domain

Work

Range

Collective Agent

Alternate labels

cataloguer collective agent

Prerecording

Recording

Record this element as a value of Collective Agent: [appellation of collective agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related collective agent as a value of Collective Agent: [name of collective agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related collective agent as a value of Collective Agent: [access point for collective agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related collective agent as a value of Collective Agent: [identifier for collective agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related collective agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Work: [compiler collective agent](#).

For the inverse of this element, see Collective Agent: [collection registrar collective agent of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 6 and 10]

* * *

[Work: collection registrar corporate body \(rdaw:P10636\)](#)

Definition and Scope

A corporate body who is responsible for creating an analytic finding aid.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10636>

Domain

Work

Range

Corporate Body

Alternate labels

cataloguer corporate body

Prerecording

Recording

Record this element as a value of Corporate Body: [appellation of corporate body](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related corporate body as a value of Corporate Body: [name of corporate body](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related corporate body as a value of Corporate Body: [access point for corporate body](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related corporate body as a value of Corporate Body: [identifier for corporate body](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related corporate body as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Work: [compiler corporate body](#).

For the inverse of this element, see Corporate Body: [collection registrar corporate body of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 6 and 10]

* * *

Work: collection registrar family (rdaw:P10637)

Definition and Scope

A family who is responsible for creating an analytic finding aid.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10637>

Domain

Work

Range

Family

Alternate labels

cataloguer family

Prerecording

Recording

Record this element as a value of Family: [appellation of family](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related family as a value of Family: [name of family](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related family as a value of Family: [access point for family](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related family as a value of Family: [identifier for family](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related family as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Work: [compiler family](#).

For the inverse of this element, see Family: [collection registrar family of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 6 and 10]

* * *

Work: [collection registrar person \(rdaw:P10638\)](#)

Definition and Scope

A person who is responsible for creating an analytic finding aid.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10638>

Domain

Work

Range

Person

Alternate labels

cataloguer person

Prerecording

Recording

Record this element as a value of Person: [appellation of person](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related person as a value of Person: [name of person](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related person as a value of Person: [access point for person](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related person as a value of Person: [identifier for person](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related person as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For narrower elements, see Work: [compiler person](#).

For the inverse of this element, see Person: [collection registrar person of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendations 6 and 10]

* * *

[Work: collector agent \(rdaw:P10629\)](#)

Definition and Scope

An agent who is responsible for creating a collection work by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10629>

Domain

Work

Range

Agent

Prerecording

Recording

Record this element as a value of Agent: [appellation of agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related agent as a value of Agent: [name of agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related agent as a value of Agent: [access point for agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related agent as a value of Agent: [identifier for agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [creator agent of work](#).

For the inverse of this element, see Agent: [collector agent of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 3]

* * *

[Work: collector collective agent \(rdaw:P10630\)](#)

Definition and Scope

A collective agent who is responsible for creating a collection work by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10630>

Domain

Work

Range

Collective Agent

Prerecording

Recording

Record this element as a value of Collective Agent: [appellation of collective agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related collective agent as a value of Collective Agent: [name of collective agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related collective agent as a value of Collective Agent: [access point for collective agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related collective agent as a value of Collective Agent: [identifier for collective agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related collective agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [creator collective agent of work](#).

For the inverse of this element, see Collective Agent: [collector collective agent of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 3]

* * *

[Work: collector corporate body \(rdaw:P10631\)](#)

Definition and Scope

A corporate body who is responsible for creating a collection work by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10631>

Domain

Work

Range

Corporate Body

Prerecording

Recording

Record this element as a value of Corporate Body: [appellation of corporate body](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related corporate body as a value of Corporate Body: [name of corporate body](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related corporate body as a value of Corporate Body: [access point for corporate body](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related corporate body as a value of Corporate Body: [identifier for corporate body](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related corporate body as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [creator corporate body of work](#).

For the inverse of this element, see Corporate Body: [collector corporate body of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 3]

* * *

[Work: collector family \(rdaw:P10632\)](#)

Definition and Scope

A family who is responsible for creating a collection work by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10632>

Domain

Work

Range

Family

Prerecording**Recording**

Record this element as a value of Family: [appellation of family](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related family as a value of Family: [name of family](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related family as a value of Family: [access point for family](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related family as a value of Family: [identifier for family](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related family as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [creator family of work](#).

For the inverse of this element, see Family: [collector family of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 3]

* * *

[Work: collector person \(rdaw:P10633\)](#)

Definition and Scope

A person who is responsible for creating a collection work by selecting and arranging items that exemplify the embodiment of other works.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10633>

Domain

Work

Range

Person

Prerecording

Recording

Record this element as a value of Person: [appellation of person](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related person as a value of Person: [name of person](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related person as a value of Person: [access point for person](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related person as a value of Person: [identifier for person](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related person as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [creator person of work](#).

For the inverse of this element, see Person: [collector person of](#).

[Based on RSC/TechnicalWG/2021/2 - Part 4, Recommendation 3]

Work: concordance work for (rdaw:P10628)

Definition and Scope

An expression of a textual work that is the basis of a systematic guide of all or selected words that occur in the expression.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10628>

Domain

Work

Range

Expression

Prerecording

Recording

Record this element as a value of Expression: [appellation of expression](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related expression as a value of Expression: [title of expression](#).

For general guidance on unstructured descriptions, see [Guidance: Recording methods. Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related expression as a value of Expression: [access point for expression](#).

For general guidance on structured descriptions, see [Guidance: Recording methods. Recording a structured description](#).

Recording an identifier

Record an identifier for a related expression as a value of Expression: [identifier for expression](#).

For general guidance on identifiers, see [Guidance: Recording methods. Recording an identifier](#).

Recording an IRI

Record an IRI for a related expression as a *real-world object*.

For general guidance on IRIs, see [Guidance: Recording methods. Recording an IRI](#).

Related Elements

For broader elements, see [Work: related expression of work](#).

For the inverse of this element, see Expression: [concordance work](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 22 and RSC discussion]

* * *

[Work: finding aid of \(rdaw:P10624\)](#)

Definition and Scope

A manifestation that is a collection manifestation that is described by a metadata description set.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10624>

Domain

Work

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [metadata description of manifestation](#).

For the inverse of this element, see Manifestation: [finding aid](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 2]

* * *

[Work: hierarchic finding aid of \(rdaw:P10626\)](#)

Definition and Scope

A manifestation that is a collection manifestation that has a metadata description set for the sub-collections and items that it holds.

A collection includes an archival collection.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10626>

Domain

Work

Range

Manifestation

Alternate labels

finding aid of, hierarchic

Prerecording**Recording**

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [finding aid of](#).

For the inverse of this element, see Manifestation: [hierarchic finding aid](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 10]

* * *

[Work: index for \(rdaw:P10627\)](#)

Definition and Scope

A manifestation of a textual work that is the basis of a systematic guide of the content of the manifestation.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10627>

Domain

Work

Range

Manifestation

Prerecording**Recording**

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [related manifestation of work](#).

For the inverse of this element, see Manifestation: [index](#).

[Based on RSC/TechnicalWG/2021/2 - Part 3, Recommendation 18 and RSC discussion]

* * *

[Work: metadata description of agent \(rdaw:P10610\)](#)

Definition and Scope

An agent that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10610>

Domain

Work

Range

Agent

Prerecording

Recording

Record this element as a value of Agent: [appellation of agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related agent as a value of Agent: [name of agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related agent as a value of Agent: [access point for agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related agent as a value of Agent: [identifier for agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of agent](#).

For the inverse of this element, see Agent: [agent described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of collective agent \(rdaw:P10611\)](#)

Definition and Scope

A collective agent that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10611>

Domain

Work

Range

Collective Agent

Prerecording

Recording

Record this element as a value of Collective Agent: [appellation of collective agent](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related collective agent as a value of Collective Agent: [name of collective agent](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related collective agent as a value of Collective Agent: [access point for collective agent](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related collective agent as a value of Collective Agent: [identifier for collective agent](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related collective agent as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of collective agent](#).

For the inverse of this element, see Collective Agent: [collective agent described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Work: metadata description of corporate body (rdaw:P10612)

Definition and Scope

A corporate body that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10612>

Domain

Work

Range

Corporate Body

Prerecording

Recording

Record this element as a value of Corporate Body: [appellation of corporate body](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related corporate body as a value of Corporate Body: [name of corporate body](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related corporate body as a value of Corporate Body: [access point for corporate body](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related corporate body as a value of Corporate Body: [identifier for corporate body](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related corporate body as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of corporate body](#).

For the inverse of this element, see Corporate Body: [corporate body described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Work: metadata description of expression (rdaw:P10615)

Definition and Scope

An expression that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10615>

Domain

Work

Range

Expression

Prerecording

Recording

Record this element as a value of Expression: [appellation of expression](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related expression as a value of Expression: [title of expression](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related expression as a value of Expression: [access point for expression](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related expression as a value of Expression: [identifier for expression](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related expression as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of expression](#).

For the inverse of this element, see Expression: [expression described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of family \(rdaw:P10613\)](#)

Definition and Scope

A family that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10613>

Domain

Work

Range

Family

Prerecording

Recording

Record this element as a value of Family: [appellation of family](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related family as a value of Family: [name of family](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related family as a value of Family: [access point for family](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related family as a value of Family: [identifier for family](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related family as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of family](#).

For the inverse of this element, see Family: [family described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of item \(rdaw:P10616\)](#)

Definition and Scope

An item that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10616>

Domain

Work

Range

Item

Prerecording

Recording

Record this element as a value of Item: [appellation of item](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related item as a value of Item: [title of item](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related item as a value of Item: [access point for item](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related item as a value of Item: [identifier for item](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related item as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of item](#).

For the inverse of this element, see Item: [item described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of manifestation \(rdaw:P10617\)](#)

Definition and Scope

A manifestation that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10617>

Domain

Work

Range

Manifestation

Prerecording

Recording

Record this element as a value of Manifestation: [appellation of manifestation](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related manifestation as a value of Manifestation: [title of manifestation](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related manifestation as a value of Manifestation: [access point for manifestation](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related manifestation as a value of Manifestation: [identifier for manifestation](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related manifestation as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of manifestation](#).

For the inverse of this element, see Manifestation: [manifestation described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of nomen \(rdaw:P10618\)](#)

Definition and Scope

A nomen that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10618>

Domain

Work

Range

Nomen

Prerecording

Recording

Record this element as a value of Nomen: [nomen string](#) or as an instance of a [Nomen](#).

Recording an unstructured description

Record an unstructured description for a related nomen as a value of Nomen: [nomen string](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related nomen as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related nomen as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for the instance of a [Nomen](#) as a *real-world object*.

Do not record an IRI for the entity that is being described.

A nomen references the Nomen: [nomen string](#) that is the value of an *appellation element*.

Related Elements

For broader elements, see Work: [description of nomen](#).

For the inverse of this element, see Nomen: [nomen described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of person \(rdaw:P10614\)](#)

Definition and Scope

A person that is described by a metadata work.

Element Reference**IRI**

<http://rdaregistry.info/Elements/w/P10614>

Domain

Work

Range

Person

Prerecording**Recording**

Record this element as a value of Person: [appellation of person](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related person as a value of Person: [name of person](#).

For general guidance on unstructured descriptions, see [Guidance: Recording methods](#). [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related person as a value of Person: [access point for person](#).

For general guidance on structured descriptions, see [Guidance: Recording methods](#). [Recording a structured description](#).

Recording an identifier

Record an identifier for a related person as a value of Person: [identifier for person](#).

For general guidance on identifiers, see [Guidance: Recording methods](#). [Recording an identifier](#).

Recording an IRI

Record an IRI for a related person as a *real-world object*.

For general guidance on IRIs, see [Guidance: Recording methods](#). [Recording an IRI](#).

Related Elements

For broader elements, see [Work: description of person](#).

For the inverse of this element, see [Person: person described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of place \(rdap:P10619\)](#)

Definition and Scope

A place that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10619>

Domain

Work

Range

Place

Prerecording**Recording**

Record this element as a value of Place: [appellation of person](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related place as a value of Place: [name of place](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related place as a value of Place: [access point for place](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related place as a value of Place: [identifier for place](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related place as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of place](#).

For the inverse of this element, see Place: [place described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: metadata description of RDA entity \(rdaw:P10622\)](#)

Definition and Scope

An RDA entity that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10622>

Domain

Work

Range

RDA Entity

Prerecording

Recording

Record this element as a value of RDA Entity: [appellation of RDA entity](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related RDA entity as a value of RDA Entity: [name of RDA entity](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related RDA entity as a value of RDA Entity: [access point for RDA entity](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related RDA entity as a value of RDA Entity: [identifier for RDA entity](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related RDA entity as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of RDA entity](#).

For the inverse of this element, see RDA Entity: [RDA entity described with metadata by](#).

* * *

Work: metadata description of timespan (rdaw:P10620)

Definition and Scope

A timespan that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10620>

Domain

Work

Range

Timespan

Prerecording

Recording

Record this element as a value of Timespan: [appellation of timespan](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related timespan as a value of Timespan: [name of timespan](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related timespan as a value of Timespan: [access point for timespan](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related timespan as a value of Timespan: [identifier for timespan](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related timespan as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of timespan](#).

For the inverse of this element, see Timespan: [timespan described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Work: metadata description of work (rdaw:P10621)

Definition and Scope

A work that is described by a metadata work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10621>

Domain

Work

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [description of work](#).

For the inverse of this element, see Work: [work described with metadata by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

[Work: work described with metadata by \(rdaw:P10623\)](#)

Definition and Scope

A work that is a metadata work for a work.

Element Reference

IRI

<http://rdaregistry.info/Elements/w/P10623>

Domain

Work

Range

Work

Prerecording

Recording

Record this element as a value of Work: [appellation of work](#) or as an IRI.

Recording an unstructured description

Record an unstructured description for a related work as a value of Work: [title of work](#).

For general guidance on unstructured descriptions, see Guidance: Recording methods. [Recording an unstructured description](#).

Recording a structured description

Record a structured description for a related work as a value of Work: [access point for work](#).

For general guidance on structured descriptions, see Guidance: Recording methods. [Recording a structured description](#).

Recording an identifier

Record an identifier for a related work as a value of Work: [identifier for work](#).

For general guidance on identifiers, see Guidance: Recording methods. [Recording an identifier](#).

Recording an IRI

Record an IRI for a related work as a *real-world object*.

For general guidance on IRIs, see Guidance: Recording methods. [Recording an IRI](#).

Related Elements

For broader elements, see Work: [work described by](#).

For the inverse of this element, see Work: [metadata description of work](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, Recommendation 9]

* * *

Appendix B: Detailed Content of Deprecated and Soft-Deprecated Elements

Deprecated Elements

These RDA elements have been deprecated and will no longer appear in RDA Toolkit. The registered IRIs for the deprecated elements will remain in the RDA Registry, but all labels, definitions, and scope notes will have '(Deprecated)' appended to them.

Entity	Element Label	CURIE	Proposal Recommendation Number
Agent	collection registrar agent of	rdaa:P50046	Part 4, Rec 5
Agent	collector agent of	rdaa:P50045	Part 4, Rec 1
Agent	curator agent of	rdaa:P50133	Part 4, Rec 2
Collective Agent	collection registrar collective agent of	rdaa:P50791	Part 4, Rec 5
Collective Agent	collector collective agent of	rdaa:P50786	Part 4, Rec 1
Collective Agent	curator collective agent of	rdaa:P50781	Part 4, Rec 2
Corporate Body	collection registrar corporate body of	rdaa:P50942	Part 4, Rec 5
Corporate Body	collector corporate body of	rdaa:P50937	Part 4, Rec 1
Corporate Body	curator corporate body of	rdaa:P50932	Part 4, Rec 2
Expression	abstract of expression	rdae:P20122	Part 3, Rec 14
Expression	abstracted as expression	rdae:P20104	Part 3, Rec 14
Expression	catalogue expression	rdae:P20107	Part 3, Rec 7
Expression	catalogue of expression	rdae:P20180	Part 3, Rec 7
Expression	finding aid expression	rdae:P20155	Part 3, Rec 11
Expression	finding aid for expression	rdae:P20197	Part 3, Rec 11
Expression	index expression	rdae:P20156	Part 3, Rec 19
Expression	index to expression	rdae:P20188	Part 3, Rec 19
Expression	indexed in expression	rdae:P20091	Part 3, Rec 25
Expression	indexing for expression	rdae:P20194	Part 3, Rec 25
Expression	summarized as expression	rdae:P20106	Part 3, Rec 15
Expression	summary of expression	rdae:P20179	Part 3, Rec 15
Family	collection registrar family of	rdaa:P51093	Part 4, Rec 5
Family	collector family of	rdaa:P51088	Part 4, Rec 1
Family	curator family of	rdaa:P51083	Part 4, Rec 2

Entity	Element Label	CURIE	Proposal Recommendation Number
Item	collection registrar agent	rdai:P40005	Part 4, Rec 5
Item	collection registrar collective agent	rdai:P40122	Part 4, Rec 5
Item	collection registrar corporate body	rdai:P40138	Part 4, Rec 5
Item	collection registrar family	rdai:P41054	Part 4, Rec 5
Item	collection registrar person	rdai:P40106	Part 4, Rec 5
Item	collector agent	rdai:P40004	Part 4, Rec 1
Item	collector collective agent	rdai:P40121	Part 4, Rec 1
Item	collector corporate body	rdai:P40137	Part 4, Rec 1
Item	collector family	rdai:P40153	Part 4, Rec 1
Item	collector person	rdai:P40105	Part 4, Rec 1
Item	curator agent	rdai:P40017	Part 4, Rec 2
Item	curator collective agent	rdai:P40115	Part 4, Rec 2
Item	curator corporate body	rdai:P40131	Part 4, Rec 2
Item	curator family	rdai:P40147	Part 4, Rec 2
Item	curator person	rdai:P40099	Part 4, Rec 2
Item	item critiqued in	rdai:P40065	Part 2, Rec 5
Item	item evaluated in	rdai:P40066	Part 2, Rec 5
Item	item reviewed in	rdai:P40067	Part 2, Rec 5
Person	collection registrar person of	rdaa:P50640	Part 4, Rec 5
Person	collector person of	rdaa:P50635	Part 4, Rec 1
Person	curator person of	rdaa:P50630	Part 4, Rec 2
Work	catalogue of work	rdaw:P10180	Part 3, Rec 4
Work	catalogue work	rdaw:P10110	Part 3, Rec 4
Work	concordance to work	rdaw:P10181	Part 3, Rec 20
Work	concordance work	rdaw:P10111	Part 3, Rec 20
Work	critique of item	rdaw:P10269	Part 2, Rec 5
Work	evaluation of item	rdaw:P10267	Part 2, Rec 5
Work	finding aid for work	rdaw:P10201	Part 3, Rec 8
Work	finding aid work	rdaw:P10157	Part 3, Rec 8
Work	index to work	rdaw:P10188	Part 3, Rec 16
Work	index work	rdaw:P10158	Part 3, Rec 16
Work	indexed in work	rdaw:P10090	Part 3, Rec 24
Work	indexing for work	rdaw:P10194	Part 3, Rec 24
Work	review of item	rdaw:P10268	Part 2, Rec 5

=====

Soft-Deprecated Elements

Soft-deprecated elements remain in the official Toolkit but are candidates for future deprecation. These are legacy elements that are retained for continuity in applications. Toolkit instructions recommend using the replacement element or recording method.

Expression: expression critiqued by (rdae:P20272)

Prerecording

The following option is recommended.

OPTION

Record a value of Expression: [expression evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Expression: expression reviewed by (rdae:P20274)

Prerecording

The following option is recommended.

OPTION

Record a value of Expression: [expression evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Item: filmed with item (rdai:P40036)

Prerecording

The following option is recommended.

OPTION

Record a value of Item: [on manifestation with](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 16]

* * *

Item: on disc with item (rdai:P40035)

Prerecording

The following option is recommended.

OPTION

Record a value of Item: [on manifestation with](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 16]

* * *

[Manifestation: filmed with manifestation \(rdam:P30037\)](#)

Prerecording

The following option is recommended.

OPTION

Record a value of Manifestation: [on carrier unit with](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 20]

* * *

[Manifestation: manifestation critiqued by \(rdam:P30257\)](#)

Prerecording

The following option is recommended.

OPTION

Record a value of Manifestation: [manifestation evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

[Manifestation: manifestation reviewed by \(rdam:P30259\)](#)

Prerecording

The following option is recommended.

OPTION

Record a value of Manifestation: [manifestation evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Manifestation: on disc with manifestation (rdam:P30036)

Prerecording

The following option is recommended.

OPTION

Record a value of Manifestation: [on carrier unit with](#).

[Based on RSC/TechnicalWG/2021/2 - Part 1, Recommendation 20]

* * *

RDA Entity: RDA entity critiqued by (rdax:P00024)

Prerecording

The following option is recommended.

OPTION

Record a value of RDA Entity: [RDA entity evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

RDA Entity: RDA entity reviewed by (rdax:P00027)

Prerecording

The following option is recommended.

OPTION

Record a value of RDA Entity: [RDA entity evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: critique of expression (rdaw:P10281)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of expression](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: critique of manifestation (rdaw:P10275)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of manifestation](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: critique of RDA entity (rdaw:P10359)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of RDA entity](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: critique of work (rdaw:P10182)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of work](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: review of expression (rdaw:P10280)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of expression](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: review of manifestation (rdaw:P10274)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of manifestation](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: review of RDA entity (rdaw:P10362)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of RDA entity](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: review of work (rdaw:P10178)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [evaluation of work](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Work: work critiqued by (rdaw:P10115)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [work evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

[Work: work reviewed by \(rdaw:P10114\)](#)

Prerecording

The following option is recommended.

OPTION

Record a value of Work: [work evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 - Part 2, RSC decision on Question 1]

* * *

Appendix C: Detailed Content of Changed Element Labels

Entity	Old Element Label	New Element Label	CURIE	Proposal Recommendation Number
Agent	agent described in	agent described by	rdaa:P50426	Part 2, Rec 2 follow-up
Collective Agent	collective agent described in	collective agent described by	rdaa:P50427	Part 2, Rec 2 follow-up
Corporate Body	corporate body described in	corporate body described by	rdaa:P50369	Part 2, Rec 2 follow-up
Expression	expression critiqued in	expression critiqued by	rdae:P20272	Part 2, Rec 1 and Part 2, RSC Decision on question 1
Expression	expression described in	expression described by	rdae:P20269	Part 2, Rec 2
Expression	expression evaluated in	expression evaluated by	rdae:P20273	Part 2, Rec 3
Expression	expression reviewed in	expression reviewed by	rdae:P20274	Part 2, Rec 4 and Part 2, RSC Decision on question 1
Family	Family described in	family described by	rdaa:P50370	Part 2, Rec 2 follow-up
Item	accompanied by item	held with	rdai:P40029	Part 1, Rec 17
Item	item described in	item described by	rdai:P40062	Part 2, Rec 2 follow-up
Manifestation	issued with	on carrier unit with	rdam:P30035	Part 1, Rec 19
Manifestation	manifestation critiqued in	manifestation critiqued by	rdam:P30257	Part 2, Rec 1 and Part 2, RSC Decision on question 1
Manifestation	manifestation described in	manifestation described by	rdam:P30254	Part 2, Rec 2

Entity	Old Element Label	New Element Label	CURIE	Proposal Recommendation Number
Manifestation	manifestation evaluated in	manifestation evaluated by	rdam:P30258	Part 2, Rec 3
Manifestation	manifestation reviewed in	manifestation reviewed by	rdam:P30259	Part 2, Rec 4 and Part 2, RSC Decision on question 1
Nomen	nomen described in	nomen described by	rdan:P81078	Part 2, Rec 2 follow-up
Person	person described in	person described by	rdaa:P50368	Part 2, Rec 2 follow-up
Place	place described in	place described by	rdap:P70054	Part 2, Rec 2 follow-up
RDA Entity	RDA entity critiqued in	RDA entity critiqued by	rdax:P00024	Part 2, Rec 1 and Part 2, RSC Decision on question 1
RDA Entity	RDA entity described in	RDA entity described by	rdax:P00025	Part 2, Rec 2
RDA Entity	RDA entity evaluated in	RDA entity evaluated by	rdax:P00026	Part 2, Rec 3
RDA Entity	RDA entity reviewed in	RDA entity reviewed by	rdax:P00027	Part 2, Rec 4 and Part 2, RSC Decision on question 1
Timespan	timespan described in	timespan described by	rdat:P70060	Part 2, Rec 2 follow-up
Work	abstract of work	abstract of	rdaw:P10126	Part 3, Rec 12
Work	abstracted as work	abstract	rdaw:P10107	Part 3, Rec 12
Work	summarized as work	summary	rdaw:P10109	Part 3, Rec 13
Work	summary of work	summary of	rdaw:P10179	Part 3, Rec 13

Entity	Old Element Label	New Element Label	CURIE	Proposal Recommendation Number
Work	work critiqued in	work critiqued by	rdaw:P10115	Part 2, Rec 1 and Part 2, RSC Decision on question 1
Work	work described in	work described by	rdaw:P10118	Part 2, Rec 2
Work	work evaluated in	work evaluated by	rdaw:P10120	Part 2, Rec 3
Work	work reviewed in	work reviewed by	rdaw:P10114	Part 2, Rec 4 and Part 2, RSC Decision on question 1

Appendix D: Detailed Content of Changed Element Definitions

Agent: agent described by (rdaa:P50426)

Definition and Scope

A work that is a description of an agent.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Agent: compiler agent of (rdaa:P50189)

Definition and Scope

A work that involves a responsibility of an agent for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestation, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Collective Agent: collective agent described by (rdaa:P50427)

Definition and Scope

A work that is a description of a collective agent.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Collective Agent: compiler collective agent of (rdaa:P50711)

Definition and Scope

A work that involves a responsibility of a collective agent for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestation, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Corporate Body: compiler corporate body of (rdaa:P50862)

Definition and Scope

A work that involves a responsibility of a corporate body for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestation, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Corporate Body: corporate body described by (rdaa:P50369)

Definition and Scope

A work that is a description of a corporate body.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Expression: concordance expression (rdae:P20108)

Definition and Scope

An expression of a concordance work that is derived from another expression.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Expression: concordance to expression (rdae:P20181)

Definition and Scope

An expression that is used as the basis of a concordance work that is realized by another expression.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Expression: expression critiqued by (rdae:P20272)

Definition and Scope

A work that is a critical evaluation of an expression.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

Expression: expression described by (rdae:P20269)

Definition and Scope

A work that is a description of an expression.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2]

* * *

Expression: expression evaluated by (rdae:P20273)

Definition and Scope

A work that is an examination or judgement of an expression.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Expression: [expression reviewed by \(rdae:P20274\)](#)

Definition and Scope

A work that is a brief evaluation of an expression.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and Part 2, RSC decision on Question 1]

* * *

Family: [compiler family of \(rdaa:P51013\)](#)

Definition and Scope

A work that involves a responsibility of a family for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestation, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Family: [family described by \(rdaa:P50370\)](#)

Definition and Scope

A work that is a description of a family.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Item: [bound with \(rdai:P40032\)](#)

Definition and Scope

An item that is physically combined with an item to form a collection manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 14]

* * *

[Item: held with \(rdai:P40029\)](#)

Definition and Scope

An item that is held in the same collection as an item.

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 17]

* * *

[Item: item described by \(rdai:P40062\)](#)

Definition and Scope

A work that is a description of an item.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

[Manifestation: accompanied by manifestation \(rdam:P30027\)](#)

Definition and Scope

A manifestation that is a part of the same manifestation as another part manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 18]

* * *

[Manifestation: manifestation critiqued by \(rdam:30257\)](#)

Definition and Scope

A work that is a critical evaluation of a manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

Manifestation: manifestation described by (rdam:P30254)

Definition and Scope

A work that is a description of a manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2]

* * *

Manifestation: manifestation evaluated by (rdam:P30258)

Definition and Scope

A work that is an examination or judgement of a manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Manifestation: manifestation reviewed by (rdam:P30259)

Definition and Scope

A work that is a brief evaluation of a manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

Manifestation: on carrier unit with (rdam:P30035)

Definition and Scope

A manifestation that is a part of the same carrier unit as another part manifestation.

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 19]

* * *

Nomen: nomen described by (rdan:P80178)

Definition and Scope

A work that is a description of a nomen.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Person: compiler person of (rdaa:P50560)

Definition and Scope

A work that involves a responsibility of a person for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestation, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Person: person described by (rdaa:P50368)

Definition and Scope

A work that is a description of a person.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

Place: place described by (rdap:P70054)

Definition and Scope

A work that is a description of a place.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

RDA Entity: RDA entity critiqued by (rdax:P00024)

Definition and Scope

A work that is a critical evaluation of an RDA entity.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

RDA Entity: RDA entity described by (rdax:P00025)

Definition and Scope

A work that is a description of an RDA entity.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2]

* * *

RDA Entity: RDA entity evaluated by (rdax:P00026)

Definition and Scope

A work that is an examination or judgement of an RDA entity.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

RDA Entity: RDA entity reviewed by (rdax:P00027)

Definition and Scope

A work that is a brief evaluation of an RDA entity.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

Timespan: timespan described by (rdat:P70060)

Definition and Scope

A work that is a description of a timespan.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2 follow-up]

* * *

[Work: abstract \(rdaw:P10107\)](#)

Definition and Scope

A work that is an objective summary of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 12]

* * *

[Work: abstract of \(rdaw:P10126\)](#)

Definition and Scope

A work that is summarized in an objective manner.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 12]

* * *

[Work: compiler agent \(rdaw:P10055\)](#)

Definition and Scope

An agent who is responsible for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestations, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler collective agent \(rdaw:P10491\)](#)

Definition and Scope

A collective agent who is responsible for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestations, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler corporate body \(rdaw:P10538\)](#)

Definition and Scope

A corporate body who is responsible for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestations, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler family \(rdaw:P10585\)](#)

Definition and Scope

A family who is responsible for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestations, a directory of agents and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler person \(rdaw:P10444\)](#)

Definition and Scope

A person who is responsible for creating a metadata description set.

A metadata description set includes a bibliography of works, expressions, or manifestations, a directory of persons and places, and an analytic finding aid.

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: critique of expression \(rdae:P10281\)](#)

Definition and Scope

An expression that is critically evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of manifestation \(rdaw:P10275\)](#)

Definition and Scope

A manifestation that is critically evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of RDA entity \(rdaw:P10359\)](#)

Definition and Scope

An RDA entity that is critically evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of work \(rdaw:P10182\)](#)

Definition and Scope

A work that is critically evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: evaluation of expression \(rdaw:P10279\)](#)

Definition and Scope

An expression that is examined or judged by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[Work: evaluation of manifestation \(rdaw:P10273\)](#)

Definition and Scope

A manifestation that is examined or judged by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[Work: evaluation of RDA entity \(rdaw:P10361\)](#)

Definition and Scope

An RDA entity that is examined or judged by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[Work: evaluation of work \(rdaw:P10153\)](#)

Definition and Scope

A work that is examined or judged by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[Work: review of expression \(rdaw:P10280\)](#)

Definition and Scope

An expression that is briefly evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of manifestation \(rdaw:P10274\)](#)

Definition and Scope

A manifestation that is briefly evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of RDA entity \(rdaw:P10362\)](#)

Definition and Scope

An RDA entity that is briefly evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of work \(rdaw:P10178\)](#)

Definition and Scope

A work that is briefly evaluated by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

Work: summary (rdaw:P10109)

Definition and Scope

A work that is a brief description of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 13]

* * *

Work: summary of (rdaw:P10179)

Definition and Scope

A work that is briefly described by a work.

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 13]

* * *

Work: work critiqued by (rdaw:P10115)

Definition and Scope

A work that is a critical evaluation of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

Work: work described by (rdaw:P10118)

Definition and Scope

A work that is a description of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 2]

* * *

Work: work evaluated by (rdaw:P10120)

Definition and Scope

A work that is an examination or judgement of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Work: work reviewed by (rdaw:P10114)

Definition and Scope

A work that is a brief evaluation of a work.

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

Appendix E: Detailed Content of Changed Element Hierarchies

Agent: [compiler agent of \(rdaa:P50189\)](#)

Related Elements

For broader elements, see Agent: [aggregator agent of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Collective Agent: [compiler collective agent of \(rdaa:P50711\)](#)

Related Elements

For broader elements, see Collective Agent: [aggregator collective agent of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Corporate Body: [compiler corporate body of \(rdaa:P50862\)](#)

Related Elements

For broader elements, see Corporate Body: [aggregator corporate body of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Expression: [concordance expression \(rdae:P20108\)](#)

Related Elements

For broader elements, see Work: [expression of source work](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Expression: concordance to expression (rdae:P20181)

Related Elements

For broader elements, see Work: [expression of derivative work](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Expression: expression critiqued by (rdae:P20272)

Related Elements

For broader elements, see Expression: [expression evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

Expression: expression evaluated by (rdae:P20273)

Related Elements

For broader elements, see Expression: [subject expression of](#).

For narrower elements, see

Expression: [expression critiqued by](#)

Expression: [expression reviewed by](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Expression: expression reviewed by (rdae:P20274)

Related Elements

For broader elements, see Expression: [expression evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and Part 2, RSC decision on Question 1]

* * *

Family: [compiler family of \(rdaa:P51013\)](#)

Related Elements

For broader elements, see Family: [aggregator family of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

Manifestation: [manifestation critiqued by \(rdam:30257\)](#)

Related Elements

For broader elements, see Manifestation: [manifestation evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

Manifestation: [manifestation evaluated by \(rdam:P30258\)](#)

Related Elements

For broader elements, see Manifestation: [subject manifestation of](#).

For narrower elements, see

Manifestation: [manifestation critiqued by](#)

Manifestation: [manifestation reviewed by](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Manifestation: [manifestation reviewed by \(rdam:P30259\)](#)

Related Elements

For broader elements, see Manifestation: [manifestation evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

[Person: compiler person of \(rdaa:P50560\)](#)

Related Elements

For broader elements, see Person: [aggregator person of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 9]

* * *

[RDA Entity: RDA entity critiqued by \(rdax:P00024\)](#)

Related Elements

For broader elements, see RDA Entity: [RDA entity evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

[RDA Entity: RDA entity evaluated by \(rdax:P00026\)](#)

Related Elements

For broader elements, see RDA Entity: [subject RDA entity of](#).

For narrower elements, see

RDA Entity: [RDA entity critiqued by](#)

RDA Entity: [RDA entity reviewed by](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[RDA Entity: RDA entity reviewed by \(rdax:P00027\)](#)

Related Elements

For broader elements, see RDA Entity: [RDA entity evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

[Work: abstract \(rdaw:P10107\)](#)

Related Elements

For broader elements, see Work: [summary](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 12]

* * *

[Work: abstract of \(rdaw:P10126\)](#)

Related Elements

For broader elements, see Work: [summary of](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 12]

* * *

[Work: compiler agent \(rdaw:P10055\)](#)

Related Elements

For broader elements, see Work: [aggregator agent](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler collective agent \(rdaw:P10491\)](#)

Related Elements

For broader elements, see Work: [aggregator collective agent](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler corporate body \(rdaw:P10538\)](#)

Related Elements

For broader elements, see Work: [aggregator corporate body](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler family \(rdaw:P10585\)](#)

Related Elements

For broader elements, see Work: [aggregator family](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: compiler person \(rdaw:P10444\)](#)

Related Elements

For broader elements, see Work: [aggregator person](#).

[Based on RSC/TechnicalWG/2021/2 – Part 4, Recommendation 8]

* * *

[Work: critique of expression \(rdae:P10281\)](#)

Related Elements

For broader elements, see Work: [evaluation of expression](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of manifestation \(rdaw:P10275\)](#)

Related Elements

For broader elements, see Work: [evaluation of manifestation](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of RDA entity \(rdaw:P10359\)](#)

Related Elements

For broader elements, see Work: [evaluation of RDA entity](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: critique of work \(rdaw:P10182\)](#)

Related Elements

For broader elements, see Work: [evaluation of work](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1]

* * *

[Work: evaluation of expression \(rdaw:P10279\)](#)

Related Elements

For broader elements, see Work: [subject expression](#).

For narrower elements, see

Work: [critique of expression](#)

Work: [review of expression](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Work: [evaluation of manifestation \(rdaw:P10273\)](#)

Related Elements

For broader elements, see Work: [subject manifestation](#).

For narrower elements, see

Work: [critique of manifestation](#)

Work: [review of manifestation](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Work: [evaluation of RDA entity \(rdaw:P10361\)](#)

Related Elements

For broader elements, see Work: [subject RDA entity](#).

For narrower elements, see

Work: [critique of RDA entity](#)

Work: [review of RDA entity](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Work: [evaluation of work \(rdaw:P10153\)](#)

Related Elements

For broader elements, see Work: [subject work](#).

For narrower elements, see

Work: [critique of work](#)

Work: [review of work](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

[Work: review of expression \(rdaw:P10280\)](#)

Related Elements

For broader elements, see Work: [evaluation of expression](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of manifestation \(rdaw:P10274\)](#)

Related Elements

For broader elements, see Work: [evaluation of manifestation](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of RDA entity \(rdaw:P10362\)](#)

Related Elements

For broader elements, see Work: [evaluation of RDA entity](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: review of work \(rdaw:P10178\)](#)

Related Elements

For broader elements, see Work: [evaluation of work](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4]

* * *

[Work: summary \(rdaw:P10109\)](#)

Related Elements

For broader elements, see Work: [work described by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 13]

* * *

[Work: summary of \(rdaw:P10179\)](#)

Related Elements

For broader elements, see Work: [description of work](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 13]

* * *

[Work: work critiqued by \(rdaw:P10115\)](#)

Related Elements

For broader elements, see Work: [work evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 1 and on Part 2, RSC decision on Question 1]

* * *

[Work: work evaluated by \(rdaw:P10120\)](#)

Related Elements

For broader elements, see Work: [subject work of](#).

For narrower elements, see

Work: [work critiqued by](#)

Work: [work reviewed by](#)

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 3]

* * *

Work: [work reviewed by \(rdaw:P10114\)](#)

Related Elements

For broader elements, see Work: [work evaluated by](#).

[Based on RSC/TechnicalWG/2021/2 – Part 2, Recommendation 4 and on Part 2, RSC decision on Question 1]

* * *

Appendix F: Detailed Content of Elements with Added Shortcut Text

Expression: concordance expression (rdae:P20108)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Expression: [concordance work](#) for the concordance work derived from the expression
2. Work: [expression of work](#) for the expression of the concordance work

The element does not identify any concordance work.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Expression: concordance to expression (rdae:P20181)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Expression: [work expressed](#) for the concordance work realized from the expression
2. Work: [concordance work for](#) for the expression used as the source of the concordance work

The element does not identify any concordance work.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 3, Recommendation 23]

* * *

Item: bound with (rdai:P40032)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Item: [holding of](#) for the manifestation of a *collection work*
2. Manifestation: [holding](#) for the item that is included in a *collection manifestation*

The element does not identify any *collection manifestation*.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 14]

* * *

Item: held with (rdai:P40029)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Item: [holding of](#) for the manifestation of a *collection work*
2. Manifestation: [holding](#) for the item that is included in a *collection manifestation*

The element does not identify any *collection manifestation*.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 17]

* * *

Manifestation: accompanied by manifestation (rdam:P30027)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Manifestation: [part of manifestation](#) for a manifestation that includes the component manifestation

2. Manifestation: [part manifestation](#) for a manifestation that is a component of the complete manifestation

The element does not identify the manifestation that includes the component manifestations.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 18]

* * *

[Manifestation: on carrier unit with \(rdam:P30035\)](#)

Prerecording

This element is a *shortcut* for the following chain of relationships:

1. Manifestation: [part of manifestation](#) for a manifestation that includes the component manifestation
2. Manifestation: [part manifestation](#) for a manifestation that is a component of the complete manifestation

The element does not identify the manifestation that includes the component manifestations.

For general guidance on shortcuts, see Guidance: Introduction to RDA. Data elements. [Relationship shortcuts](#).

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 19]

* * *

Appendix G: Detailed Content of New Vocabulary Encoding Schemes and New or Redefined Terms

New Vocabulary Encoding Schemes (2)

RDA Collection Accrual Method

Toolkit label	Toolkit definition
loan	A collection accrual method that adds items to a collection for a fixed or open-ended timespan with no transfer of ownership or financial transaction.
deposit	A collection accrual method that adds items to a collection permanently with no transfer of ownership or financial transaction.
donation	A collection accrual method that adds items to a collection permanently with a transfer of ownership but no financial transaction.
license	A collection accrual method that adds items to a collection for a fixed or open-ended timespan with no transfer of ownership but with a financial transaction.
purchase	A collection accrual method that adds items to a collection permanently with a transfer of ownership and a financial transaction.

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 4]

* * *

RDA Collection Accrual Policy

Toolkit label	Toolkit definition
closed	A collection accrual policy that does not add items to a collection.
passive	A collection accrual policy that adds items to a collection when the items are in scope for the collection but have been acquired for other reasons.
active	A collection accrual policy that seeks, acquires, and adds items to a collection.

selective	A collection accrual policy that adds items to one or more subcollections of a collection.
-----------	--

[Based on RSC/TechnicalWG/2021/2 – Part 1, Recommendation 5]

* * *

New or Redefined Terms in RDA Terms (8)

These terms will also appear in the RDA Glossary.

Toolkit label	Toolkit definition	Proposal Recommendation Number
collection expression	An expression that is the realization of a collection work.	Part 1, Rec 1
collection manifestation	A manifestation that is the embodiment of a collection work and expression.	Part 1, Rec 1
collection item	An item that is the exemplar of a collection manifestation.	Part 1, Rec 1
collection work	A work that is a plan for selecting items that are to be gathered and kept together for some purpose.	Part 1, Rec 1
indexing finding aid	An index work that is a set of keywords derived from a collection manifestation or a metadata description set for a collection manifestation. Alternate label: finding aid, indexing	Part 3, Rec 26
metadata description set	A metadata work that is an aggregating work that is a plan to select and arrange one or more expressions of one or more metadata statements that describe one or more individual instances of RDA entities and embody them in an aggregate. The plan may be part of an application profile.	Part 2, Rec 10 and RSC discussion
metadata statement	A metadata work that is a piece of metadata that assigns a value to an RDA element that	Part 2, Rec 10

	describes an individual instance of an RDA entity.	
unitary finding aid	A metadata description set for a collection manifestation as a whole but not for the items that are held. Alternate label: finding aid, unitary	Part 3, Rec 3